

## Type 90 Safety Storage Cabinets for Flammable Products according to EN 14470-1 and -2



- Double welded carcass made from 1 - 1.5 mm thickness steel sheet and insulation panel of between the walls. Insulation material - fiber glass fleece coated gypsum board. Outer carcass is coated with epoxy resin powder. Inner carcass is paneled with high quality melamine impregnated medium-density fiberboard, which is resistant to acid and corrosive vapors.
- If the temperature rises up to  $70\pm 10^{\circ}\text{C}$ , the doors and ventilation ducts are automatically closed while thermal expanding strip around the door's perimeter makes the inner content of the cabinet completely sealed off.
- Cylinder lock for each door
- $\varnothing$  100 mm air inlet and outlet ducts for whether natural ventilation or connection with forced ventilation/filtration systems
- Feet adjustment level.

# S-Series Safety Storage Cabinets for Flammable Liquids

## Model Overview



Model	External Dimensions W x D x H	Internal Dimensions W x D x H	No. of doors	Weight, kg	Number of 1 liter bottles per cabinet	Type
S-SAFE 90.1950.1300	1289x677x1929	1120x457x1644	2	660	120	90
S-SAFE 90.1950.650	648x677x1929	479x457x1644	1	400	48	90

**SOVTEST ATE®**



Model	External Dimensions W x D x H	Internal Dimensions W x D x H	No. of doors	Weight, kg	Number of 1 liter bottles per cabinet	Type
S-SAFE 90.1300.1300	1289x677x1289	1120x457x1004	2	480	60	90
S-SAFE 90.1300.650	648x677x1289	479x457x1004	1	290	24	90

SOVTEST ATE®

E info@sovtest-ate.com  
W www.sovtest-ate.com



Model	External Dimensions W x D x H	Internal Dimensions W x D x H	No. of doors	Weight, kg	Number of 1 liter bottles per cabinet	Type
S-SAFE 90.850.1300	1289x677x850	1120x457x565	2	340	60	90
S-SAFE 90.850.650	648x677x850	479x457x565	1	203	24	90

**SOVTEST ATE<sup>®</sup>**

# G-Safe Series Safety Storage Cabinets for Gas Cylinders

## Model Overview



Model	External Dimensions W x D x H	Internal Dimensions W x D x H	No. of doors	Weight, kg	Type
G-SAFE 90.2200.1300	1289x677x2180	1120x464x1854	2	750	G90
G-SAFE 90.2200.700	700x677x2180	532x464x1854	1	500	G90